Produkt Declaration - LEED® 2009 New Construction And Major Renovations NC & CS

Manufacturer GEZE GmbH

Product Name

Automatic linear sliding door family ECdrive / ECdrive FR



Product Rating

• The product fulfills the requirements for paints and coatings and contribute to achieve one LEED credit within IEQ Credit 4.2.

• The product contains 1.8% recycled materials and contribute to achieve LEED credits within MR Credit 4.

Indoor Environmental	Quality (IEQ) -	LEED Category		
IEQ Credit 4.1: Low Em	itting Materials:	Adhesives and Sealants	1 Point	0
IEQ Credit 4.2: Low Em	itting Materials:	Paints and Coatings	1 Point	\checkmark
IEQ Credit 4.3: Low Em	itting Materials:	Flooring Systems	1 Point	0
IEQ Credit 4.4: Low Em	itting Materials:	Composite Wood and Agrifiber Products	1 Point	0
Materials and Resource	ces (MR) - LEED	Category		
MR Credit 4: Recycle	ed Content		1-2 Points	2%
MR Credit 5: Region	al Materials		1-2 Points	See Location
MR Credit 6: Rapidly	/ Renewable Ma	terials	1 Point	0
MR Credit 7: Certifie	ed Wood		1 Point	0

Product Characteristics

Compact automatic linear sliding door for use in emergency exit routes, TÜV type-tested in accordance with DIN 18650, with self-cleaning rollers, 2-motor technology, for leaf weights up to 120 kg per leaf. Redundant emergency exit function through 2-motor technology, with duplicate processing system and low wear. Monitored battery for emergency opening in the event of a power failure. Redundant digital control (Category 2 in accordance with DIN EN 954-1 and Performance Level "d" in accordance with DIN EN ISO 13849-1). Static and dynamic power limitation in accordance with DIN 18650.

* Motors and electronics are not part of the assessment.

About LEED & Products - www.usgbc.org

This declaration helps to assess products easily according the certification system LEED® 2009 New Construction and Major Renovations NC & CS (excluded SCHOOLS). Products are not reviewed or certified by LEED. LEED credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. For more information about LEED visit www.usgbc.org/leed. The project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve LEED points.

Below you find an explanation of the symbols. Detailed information are on the next pages.

- Credit requirements fulfilled the credit point can be achieved
- Credit is not applicable to this product

X% of the product comply with the credit requirement

Required data not specified - for required data contact manufacturer

Credit requirements are not fulfilled

Notice: This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The distribution by third parties is prohibited. This declaration is no official certificate in terms of LEED. The contents are based on manufacturer specifications. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the actuality or correctness of the published data. The interpretation of the LEED criteria requirements can differ and depend on the project and the scope of application. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the correctness of evaluation in terms of the LEED requirements. The user of this declaration, the consultant/planner, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication can no longer be considered to be valid. The latest version is available in the internet. HOINKA GmbH • greenbuildingproducts.eu • Lembergweg 7/1 • 71067 Sindelfingen • Tel. +49 7031 7659-441 • Fax +49 7031 7659-443 • www.greenbuildingproducts.eu • contact@greenbuildingproducts.eu • Geschäftsführer: Dipl.-Ing. Thomas Hoinka

Produkt Declaration - LEED® 2009 New Construction And Major Renovations NC & CS

GEZE GmbH Manufacturer Automatic linear sliding door family **Product Name ECdrive / ECdrive FR** Certified Wood NA NA MA MA NA NA \bigcirc Rapidly Renewable Material ΝA ΝA \bigcirc NA Ν AN ΝA 'Manufacturing' is within a radius of 500 miles of the Manufacturing Not specified Not specified Not specified Not specified Not specified Not specified project the subproduct contributes to the credit. Location If the location of 'Harvesting & Extraction' and Regional Materials Harvesting/ Extraction Not specified Not specified Not specified Not specified Not specified Not specified Location Consumer Not specified Not specified Not specified Not specified specified Recycled Content Not Pre-%0 2% Consumer Not specified Not specified Not specified specified specified 1.8% 25%** Post-Not Not Composite Agrifiber product A/A NA NA NA NA NA С Flooring Systems N/A A/A N/A NA NA \bigcirc N/A VOC-Limit in <u>|/b</u> NA NA ٨ ٨ NA 50 VOC in A/A N/A NA NA l/g AN 0 90.5% Wass per ~ 7.3% ~ 3.3% ~ 2.2% ~ 1.1% ~ 0.7% unit* [%] 100.0 Manufacturer Schiebetürantriebs GEZE GmbH **GEZE GmbH** GEZE GmbH GEZE GmbH **GEZE GmbH** GEZE GmbH **GEZE GmbH** ECdrive / ECdrive FR Product Name Steel galvanized **Detailed Rating** Powder-coating Automatische Zinc die-cast Aluminium Familie Plastics Copper A10 B3 ¥ ۶ Ł R A5 Å A **A**8 A9

Notice: This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The distribution by third parties is prohibited. This declaration is no official certificate in terms of LEED. The contents are based on manufacturer specifications. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the actuality or correctness of the published data. The interpretation of the LEED criteria requirements can differ and depend on the project and the scope of application. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the correctness of evaluation in terms of the LEED requirements. The user of this declaration, the consultant/planner, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication of a new edition, this declaration can no longer be considered to be valid. The latest version is available in the internet. HOINKA GmbH • greenbuildingproducts.eu • Lembergweg 7/1 • 71067 Sindelfingen • Tel. +49 7031 7659-441 • Fax +49 7031 7659-443 • www.greenbuildingproducts.eu • contact@greenbuildingproducts.eu • Geschäftsführer: Dipl.-Ing. Thomas Hoinka

Produkt Declaration - LEED® 2009 New Construction And Major Renovations NC & CS

Manufacturer GEZE GmbH

Product Name

Name Automatic linear sliding door family ECdrive / ECdrive FR



IEQ Credit 4.1: Low Emitting Materials: Adhesives and Sealants (1 Point)

Intent

Reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well-being of installers and occupants caused by adhesives and sealants applied on site.

Requirement

All adhesive, sealants and sealant primers used on the interior of the building (defined as inside of the weatherproofing system and applied on-site) must comply shall comply with the VOC content limits of the following:

- SCAQMD Rule #1168 (effective date of July 1, 2005 and rule amendment date of January 7, 2005),
- Aerosol Adhesives must comply with Green Seal Standard for Commercial Adhesives GS-36 requirements in effect on October 19, 2000.

IEQ Credit 4.2: Low Emitting Materials: Paints and Coatings (1 Point)

Intent

Reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well-being of installers and occupants caused by paints and coatings applied on site.

Requirement

Paints and coatings used on the interior of the building (defined as inside of the weatherproofing system and applied on-site) must comply with the VOC content limits of the following:

- Green Seal Standard GS-11, Paints Edition, May 20, 1993,
- Green Seal Standard GC-03, Anti-Corrosive Paints, Second Edition, January 7, 1997, and

- South Coast Air Quality Management District (SCAQMD) Rule 1113, Architectural Coatings, rules in effect on January 1, 2004.

Detailed Rating

No	Product Name	Manufacturer	Related	Product Type	VOC-C	ontent	Contribution of Product	
			Credit		Allowable	Product		
A1	Steel galvanized	GEZE GmbH	N/A	N/A	N/A	N/A	The product is no adhesive, sealant, paint or coating.	0
A2	Aluminium	GEZE GmbH	N/A	N/A	N/A	N/A	The product is no adhesive, sealant, paint or coating.	0
A3	Copper	GEZE GmbH	N/A	N/A	N/A	N/A	The product is no adhesive, sealant, paint or coating.	0
A4	Zinc die-cast	GEZE GmbH	N/A	N/A	N/A	N/A	The product is no adhesive, sealant, paint or coating.	0
A5	Plastics	GEZE GmbH	N/A	N/A	N/A	N/A	The product is no adhesive, sealant, paint or coating.	0
A6	Powder-coating	GEZE GmbH	IEQ Credit 4.2	Flats (SCAQMD Rule 1113)	50g/l	0g/I	The product fulfills the requirements for paints & coatings.	\checkmark

Notice: This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The distribution by third parties is prohibited. This declaration is no official certification is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The distribution by third parties is prohibited. This declaration is no official certification is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The distribution by third parties is prohibited. This declaration is no official certification. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the actuality or correctness of the published data. The interpretation is declaration, the is declaration, the onsumer of the product and the consultant/planner, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication of a new edition, this declaration can no longer be considered to be valid. The latest version is available in the internet. HOINKA GmbH - greenbuildingproducts.eu + Lembergweg 7/1 + 71067 Sindelfingen + Tel. +49 7031 7659-443 + www.greenbuildingproducts.eu + contact@greenbuildingproducts.eu - Geschäftsführer: Dipl.-Ing. Thomas Hoinka

Produkt Declaration - LEED® 2009 New Construction And Major Renovations NC & CS

Manufacturer GEZE GmbH

Product Name

Automatic linear sliding door family ECdrive / ECdrive FR



MR Credit 4: Recycled Content (1-2 Points)

Intent

To increase demand for building products that incorporate recycled content materials, thereby reducing impacts resulting from extraction and processing of virgin materials.

Requirement

Use materials with recycled content* such that the sum of post-consumer** recycled content plus one-half of the pre-consumer*** content constitutes at least 10%/20% (based on cost) of the total value of the materials in the project.

The minimum percentage materials recycled for each point threshold is as follows:

10% Recycled Content -> 1 Point

20% Recycled Content -> 2 Points.

* Recycled content is defined in accordance with the International Organization of Standards document, ISO 14021 — Environmental labels and declarations — Self-declared environmental claims (Type II environmental labeling).

** Postconsumer material is defined as waste material generated by households or by commercial, industrial and institutional facilities in their role as end-users of the product, which can no longer be used for its intended purpose.

*** Preconsumer material is defined as material diverted from the waste stream during the manufacturing process. Reutilization of materials (i.e., rework, regrind or scrap generated in a process and capable of being reclaimed within the same process that generated it) is excluded.

Detailed Rating

No	Product Name	Manufacturer	Recycled Post-	cled Content Contribution of Product - Pre-		
			Consumer	Consumer		
A1	Steel galvanized	GEZE GmbH	25%**	0%	Accountable recycled content according to LEED is 25% (1 x Post-Consumer + 0.5 x Pre-Consumer). **LEED default recycled content for steel	25%
A2	Aluminium	GEZE GmbH	Not specified	Not specified	No recycled content specified.	—
A3	Copper	GEZE GmbH	Not specified	Not specified	No recycled content specified.	—
A4	Zinc die-cast	GEZE GmbH	Not specified	Not specified	No recycled content specified.	—
A5	Plastics	GEZE GmbH	Not specified	Not specified	No recycled content specified.	—
A6	Powder-coating	GEZE GmbH	Not specified	Not specified	No recycled content specified.	_

Notice: This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The distribution by third parties is prohibited. This declaration is no official certificate in terms of LEED. The contents are based on manufacturer specifications. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the actuality or correctness of the published data. The interpretation of the LEED criteria requirements can differ and depend on the project and the scope of application. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the correctness of the published data. The interpretation, the user of this declaration, the consumer of the product and the consultant/planner, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication of a new edition, this declaration can no longer be considered to be valid. The latest version is available in the internet. HOINKA GmbH - and greenbuildingproducts.eu - Cembergweg 7/1 + 71087 Sindeflingen - Tel. +49 7031 7659-443 + www.greenbuildingproducts.eu - contact@greenbuildingproducts.eu - Ceschäftsfuhrer: Dipl.-Ing. Thomas Hoinka

Produkt Declaration - LEED® 2009 New Construction And Major Renovations NC & CS

Manufacturer GEZE GmbH

Product Name

ne Automatic linear sliding door family ECdrive / ECdrive FR



MR Credit 5: Regional Materials (1-2 Points)

Intent

To increase demand for building materials and products that are extracted and manufactured within the region, thereby supporting the use of indigenous resources and reducing the environmental impacts resulting from transportation.

Requirement

Use building materials or products that have been extracted, harvested or recovered, as well as manufactured, within 500 miles of the project site for a minimum of 10% or 20%, based on cost, of the total materials value. If only a fraction of a product or material is extracted, harvested, or recovered and manufactured locally, then only that percentage (by weight) must contribute to the regional value. The minimum percentage regional materials for each point threshold is as follows:

10% Regional Materials -> 1 Point

20% Regional Materials -> 2 Points.

Detailed Rating

No	Product Name	Manufacturer	Location Harvesting/ Extraction	Location Manufacturing
A1	Steel galvanized	GEZE GmbH	Not specified	Not specified
A2	Aluminium	GEZE GmbH	Not specified	Not specified
A3	Copper	GEZE GmbH	Not specified	Not specified
A4	Zinc die-cast	GEZE GmbH	Not specified	Not specified
A5	Plastics	GEZE GmbH	Not specified	Not specified
A6	Powder-coating	GEZE GmbH	Not specified	Not specified

Notice: This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The distribution by third parties is prohibited. This declaration is no official certification is a finite database greenbuildingproducts.eu. The distribution by third parties is prohibited. This declaration is no official certification is a finite previous of the published in the online database greenbuildingproducts.eu. The distribution by third parties is prohibited. This declaration is no official certification is a finite previous of the published data. The interpretation of the LEED requirements can differ and depend on the project and the scope of application. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the correctness of evaluation in terms of the LEED requirements. The user of this declaration, the consumer of the product and the consultant/planner, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication of a new edition, this declaration can no longer be considered to be valid. The latest version is available in the internet. HOINKA GmbH - greenbuildingproducts.eu · Lembergweg 7/1 + 71067 Sindelfingen + Tel. +49 7031 7659-441 · Fax +49 7031 7659-443 · www.greenbuildingproducts.eu · contact@greenbuildingproducts.eu · Seschäftsführer: Dpl.-Ing. Thomas Hoinka