Product Declaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV09)

Manufacturer **GEZE GmbH**

Product Name Door Closer TS 5000 Range with Guide Rail



Product Rating

• The product fulfills the requirements of action level 1 to 4 and contributes to achieve 10 (of max. 10) criterion points within Criterion 06 'Risks for the regional environment'

Criterion 06 Risks for the Local Environment - Ecological Quality

1 Point **Action Level 1**

Action Level 2 5 Points

Action Level 3 7.5 Points

Action Level 4 10 Points

Criterion 08 Sustainable Resources - Ecological Quality*

Action Level 1 1 Points



5 Points **Action Level 2**



Action Level 3 10 Points



Product Characteristics

Guide rail door closer for single and double action doors with up to 1400 mm leaf

The TS 5000 overhead door closer family is made of high quality aluminum housings in continuous GEZE design and is suitable for left as well as right hand doors with leaf widths up to 1400 mm. It is approved for mounting on fire doors. Closing force is in accordance to EN1154 as high as size 6 and easily adjustable from the front. The set closing force can be re-checked conveniently through the optical size indicator. Latching action, backcheck as well as the thermo-constant closing speed are easily adjustable from the front. Variants with delayed closing, closing sequence control or integrated smoke switches are available.

About DGNB Products - www.dgnb.de

This declaration helps to assess products easily according the certification system DGNB® Neubauversion Büro- und Verwaltungsgebäude (NBV09). Products are not reviewed or certified by DGNB. DGNB credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. Therefore the project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve DGNB points.

Below you find an explanation of the symbols. Detailed information are on the next pages.



Credit requirements fulfilled - the action level is achieved

Credit is not applicable to this product

X% of the product comply with the credit requirement

Required data not specified - for required data contact manufacturer

Credit requirements are not fulfilled

^{*} This criterion is only applicable to wooden materials.

Product Declaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV09)

Manufacturer GEZE GmbH

Product Name Door Closer TS 5000 Range with Guide



| | | | | Rail | | | | | | | | | |
|---|--|----------------|-----------|-----------|-----------|-----------|----|----|----|----|----|-----|---|
| *All values are based on the unit:1 element | Steckbrief 06 Risiken für die lokale Umwelt Steckbrief 08 Nachhaltige Ressourcenverwendung | Action Level 3 | 0 | 0 | 0 | 0 | | | | | | | 0 |
| | | Action Level 2 | 0 | 0 | 0 | 0 | | | | | | | 0 |
| *All value | | Action Level 1 | 0 | 0 | 0 | 0 | | | | | | | 0 |
| | | Action Level 4 | > | > | > | > | | | | | | | > |
| | | Action Level 3 | > | > | > | > | | | | | | | > |
| | | Action Level 2 | > | > | > | > | | | | | | | > |
| | | Action Level 1 | > | > | > | > | | | | | | | > |
| | Mass per | % | ~ 52.2% | ~ 44.2% | ~ 0.1% | ~ 3.5% | | | | | | | 100 |
| Detailed Rating | Manufacturer | אַפווחמקק | GEZE GmbH | GEZE GmbH | GEZE GmbH | GEZE GmbH | | | | | | | GEZE GmbH |
| | Droduct Name | | Steel | Aluminium | Plastics | Lacquer | | | | | | | Door Closer TS 5000 Range GEZE GmbH with Guide Rail |
| Det | 2 | 2 | A | A2 | A3 | A4 | A5 | A6 | A7 | A8 | A9 | A10 | |

Product Declaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV09)

Manufacturer GEZE GmbH

Product Name Door Closer TS 5000 Range with Guide Rail



Criterion 06 Risks for the Local Environment - Ecological Quality

Detailed Rating

| No Product Name | | | Manufacturer | | | |
|--|--------|-------------|--------------|-------------------------|--|--|
| A1 Steel | | | GEZE GmbH | | | |
| Produc | t Type | Requirement | | Contribution of Product | | |
| | | | | | | |
| There are no requirements for this product | | | | | | |

| No | Product Name | | Manufacturer | | |
|--------|--------------|----------|--------------|-------------------------|--|
| A2 | Aluminium | | GEZE GmbH | | |
| Produc | t Type | Requirem | ent | Contribution of Product | |
| | | | | | |
| | | | | | |

| No Product Name | | | Manufacturer | | |
|----------------------|--------------------------------------|--|--------------|---|--|
| А3 | Plastics | | GEZE GmbH | | |
| Produc | t Type | Requirem | ent | Contribution of Product | |
| Plastics cladding | for windows, floorings or wall gs | Action Level - No request Action Level - The process | irements | The product is free of lead, cadmium or tin stabilizer. | |

Product Declaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV09)

Manufacturer GEZE GmbH

Product Name Door Closer TS 5000 Range with Guide Rail



| No Product Name | | | Manufacturer | | | |
|-----------------|--|--------------------------|---|--|--|--|
| A4 Lacquer | | | GEZE GmbH | | | |
| Produc | t Type | Requirement | | Contribution of Product | | |
| paints) | and coatings (without anti-corosion on non-mineral surfaces. | Action Lev Action Lev | vel 4: VOC-content < 3% vel 3: VOC-content < 10% vel 2: VOC-content < 15%; RAL UZ 12a count as proof vel 1: VOC-content < 25% | VOC-content: <3% | | |
| | s, adhesives, and anti-corrosion on mineral and non-mineral s. | Action Lev Action Lev | vel 4: VOC-content < 3% vel 3: VOC-content < 10% vel 2: VOC-content < 15%; RAL UZ 12a count as proof vel 1: VOC-content < 25% | VOC-content: <3% | | |
| Varnish roofs. | es for walls, floorings, ceiling or | • | irements | Pigments and siccatives in the product contain no lead, cadmium, chromium VI or their compounds. | | |