

Manufacturer BOS GmbH Best of Steel


Product Name Sliding door frame; steel galvanized + primed



Product Rating

- The product fulfills the requirements of action level 1 to 4 and contributes to achieve 10 (of max. 10) criterion points within Criterion 06 'Risks for the regional environment'.

Criterion 06 Risks for the Local Environment - Ecological Quality

Action Level 1 1 Point 

Action Level 2 5 Points 

Action Level 3 7.5 Points 

Action Level 4 10 Points 

Criterion 08 Sustainable Resources - Ecological Quality*

Action Level 1 1 Points 

Action Level 2 5 Points 

Action Level 3 10 Points 

* This criterion is only applicable to wooden materials.






Product Characteristics

Galvanized and primed sliding door steel frame for doors running in front of the wall.

About DGNB Products - www.dgnb.de

This declaration helps to assess products easily according the certification system DGNB® Neubauversion Büro- und Verwaltungsgebäude (NBV09). Products are not reviewed or certified by DGNB. DGNB credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. Therefore the project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve DGNB points.

Below you find an explanation of the symbols. Detailed information are on the next pages.

-  **Credit requirements fulfilled - the action level is achieved**
-  **Credit is not applicable to this product**
-  **X% of the product comply with the credit requirement**
-  **Required data not specified - for required data contact manufacturer**
-  **Credit requirements are not fulfilled**

Manufacturer BOS GmbH Best of Steel

Product Name Sliding door frame; steel galvanized + primed


*All values are based on the unit: 1m²

Detailed Rating	No	Product Name	Manufacturer	Mass per Unit* [%]	Steckbrief 06 Risiken für die lokale Umwelt				Steckbrief 08 Nachhaltige Ressourcenverwendung				
					Action Level 1	Action Level 2	Action Level 3	Action Level 4	Action Level 1	Action Level 2	Action Level 3		
	A1	Steel galvanized	BOS GmbH Best of Steel	99.53	✓	✓	✓	✓	○	○	○	○	
	A2	Primer	BOS GmbH Best of Steel	0.47	✓	✓	✓	✓	○	○			
	A3												
	A4												
	A5												
	A6												
	A7												
	A8												
	A9												
	A10												
		Sliding door frame; steel galvanized + primed	BOS GmbH Best of Steel	100	✓	✓	✓	✓	○	○	○	○	

Manufacturer BOS GmbH Best of Steel

Product Name Sliding door frame; steel galvanized + primed



Criterion 06 Risks for the Local Environment - Ecological Quality

Detailed Rating

No	Product Name	Manufacturer
A1	Steel galvanized	BOS GmbH Best of Steel
Product Type	Requirement	Contribution of Product
There are no requirements for this product		

No	Product Name	Manufacturer
A2	Primer	BOS GmbH Best of Steel
Product Type	Requirement	Contribution of Product
Paints and coatings (without anti-corrosion paints) Applied on non-mineral surfaces.	Action Level 4: VOC-content < 3% Action Level 3: VOC-content < 10% Action Level 2: VOC-content < 15%; RAL UZ 12a count as proof Action Level 1: VOC-content < 25%	VOC-content: <3%
Sealants, adhesives, and anti-corrosion Applied on mineral and non-mineral surfaces.	Action Level 4: VOC-content < 3% Action Level 3: VOC-content < 10% Action Level 2: VOC-content < 15%; RAL UZ 12a count as proof Action Level 1: VOC-content < 25%	VOC-content: <3%